

TOPEKA WHITE - POWDER COATED STEEL BIOFIREPLACE

BIO-20-216

The ScandiFlames Topeka White is an elegant, freestanding bioethanol fireplace with a 2.5-liter fuel tank and a burn time of up to 7.5 hours per filling. Measuring H: 90 cm x W: 100 cm x D: 35 cm, this impressive fireplace can be placed on the floor or built into an end wall. Its wide frame and large cutout provide a wide view of the flames, shielded by three safety glass panels. The design fits perfectly into modern homes, creating a cozy atmosphere. Maintenance is easy, as bioethanol fireplaces do not produce smoke.

TECHNICAL SPECIFICATIONS

Burner

| | |
|-----------------------------|--------------------|
| Adjustable flame | Yes |
| Burn time | 7.5 hours |
| Control | Manual |
| Heat output (max) | 2,4 kW |
| Capacity | 2.5 Litres |
| Flue/chimney | Not Required |
| Remote control | No |
| Recommended air change rate | 1 |
| Burner type | 2.5 Litre Superior |
| Flame length | 32 cm |
| Minimum room size | 60 m ³ |
| Requires electricity | No |
| Fuel | Bioethanol |
| Usage | 0.33 L/h |

Appearance

| | |
|---------------|-------|
| Materials | Steel |
| Colour | White |
| Glas included | Yes |

Type

| | |
|----------|--------------|
| Brand | ScandiFlames |
| Use | Indoor |
| Warranty | 2 years |

Size

| | |
|--------------|--------|
| Length/Width | 100 cm |
| Height | 90 cm |
| Depth | 35 cm |
| Weight | 37 kg |





