

FOCO TWO 1200

BIO-30-106

Foco Two 1200 is a two-sided tunnel bioethanol fireplace for installation into a wall, where you will be able to see the fire from two opposite sides. Choose between manual or automatic burner.

TECHNICAL SPECIFICATIONS

Appearance

Colour	Black
Glas included	Yes
Materials	Steel

Appearance

Steel thickness	4 mm
-----------------	------

Burner - Features

Adjustable	Yes
Burn time	6 hours
Burner type	5 Litre Superior
Control	Automatic
Control	Manual
Control	Remote Control
Flame length	85 cm
Heat output (max)	6,2 kW
Minimum room size	90 m ³
Remote control	Yes (add-on)
Requires electricity	No
Requires electricity	Yes
Usage	0.72 L/h

Size

Depth	40 cm
Height	50 cm
Length/Width	120 cm
Weight	35 kg

Type

Brand	Foco
-------	------

Type

Flue/chimney	Not required
Fuel	Bioethanol



Type

Producttype	See-through Built-in Bioethanol Fireplace
-------------	--





Type

Recommended air change rate	1
-----------------------------	---





Type

Use	Indoor
Warranty	2 years





PrimeFire 1000






FLA 3 990 mm



FLA 3+ 990 mm





Automatic burner 1000

