

TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE

BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

TECHNICAL SPECIFICATIONS

Appearance

Colour	Steel
Glas included	Yes
Materials	Steel

Burner

Adjustable	Yes
Burn time	3 hours
Burner type	3 Litre Slimline
Capacity	1.5 Litres
Control	Manual

Burner

Distance to Combustible Materials	50 cm
-----------------------------------	-------

Burner

Flame length	40 cm
Flue/chimney	Not required
Fuel	Bioethanol
Heat output (max)	3 kW
Minimum room size	60 m ³
Remote control	No
Requires electricity	No
Usage	0.5 L/h

Size

Depth	12,1 cm
Height	45 cm
Length/Width	90 cm

Type

Bioethanol Burner
Bracket
Extinguishing Tool



Glass

Screws

User guide

Brand

ScandiFlames

Producttype

Wall-mounted Bioethanol
Fireplace

Use

Indoor

Warranty

2 years

