

## TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE

BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

### TECHNICAL SPECIFICATIONS

#### Type

	Glass
	Extinguishing Tool
	Bioethanol Burner
	User guide
	Bracket
	Screws
Producttype	Wall-mounted Bioethanol Fireplace
Brand	ScandiFlames
Use	Indoor
Warranty	2 years

#### Burner

Requires electricity	No
Adjustable flame	Yes
Control	Manual
Capacity	1.5 Litres
Burner type	3 Litre Slimline
Flame length	40 cm
Minimum room size	60 m <sup>3</sup>
Burn time	3 hours
Heat output (max)	3 kW
Distance to Combustible Materials	50 cm
Flue/chimney	Not Required
Remote control	No
Fuel	Bioethanol
Usage	0.5 L/h

#### Appearance

Materials	Steel
Colour	Steel
Glas included	Yes

#### Size

Length/Width	90 cm
Height	45 cm



Depth

12,1 cm

